
	Declaration of Performance	No. <i>F02/CPR/14351/16</i>	 EN 14351-1	Year of issue 16
---	-----------------------------------	--------------------------------	---	---------------------

1. Unique identification code of the product-type: **Classic 92, Quadrat FB 92, Integral 92**
2. Intended use: **Wooden windows and balcony doors in aluminium cladding designed for use in residential and public utility buildings.**
3. Manufacturer: **FAKRO PP Sp. z o.o.
ul. Węgierska 144a,
33-300 Nowy Sącz, Poland
fakro@fakro.pl**
4. Authorised representative: *./.*
5. System of assessment and verification of constancy of performance: **3**
6. Harmonised standard: **EN 14351-1:2006+A1:2010**
Notified body: **Building Research Laboratory (notification No. 1827)), performed initial type test in system 3 (included in points 7.1-7.8) and prepared classification report.**
7. Declared performance:

Essential characteristics		Performance			Harmonised technical specification	
		Classic 92	Quadrat FB 92	Integral 92		
Glass unit		65U <i>(4-16-4-16-4)</i>			EN 14351-1:2006+A1:2010	
7.1	Resistance to wind load	Class C3 (1)				4.2
7.2	Watertightness. Non-shielded (A)	9A				4.3
7.3	Dangerous substances	npd				4.4
7.4	Load-bearing capacity of safety device	Threshold value				4.4
7.5	Acoustic performance [dB]	npd				4.11
7.6	Thermal transmittance [W/m ² K]	0.82 (2)	0.85 (2)	0.83(2)		4.12
7.7	Radiation properties:					4.13
	- Light transmittance	0.55				
	- Solar factor g	0.37				
7.8	Air permeability	Class 4			4.14	

(1) for the windows with the width of > 2,20 m and height of > 2,20 m: npd, pd – no performance determined, (2) reference dimension (1,23 x 1,48 m) – calculation according to standard PN-EN ISO 10077-1, p. 6.

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer by:



Ewa Łukaszczyk-Haslik
(Certification and Quality Control Director)

Nowy Sącz, 09/01/2016